

| Dansk | | Meter | Engelsk |
|-------------------|------------|--------|--------------|
| Alen, fod, tommer | Fod (dec.) | m | Feet, inches |
| 17° 1' 8" | | 11,176 | 36' 8" |
| 17° 1' 8 1/4" | 35,685 | 11,200 | 36' 8 3/16" |
| | | 11,202 | 36' 9" |
| 17° 1' 9" | 35,700 | 11,205 | |
| | | 11,220 | 36' 10" |
| | | 11,227 | |
| 17° 1' 10" | 35,800 | 11,236 | |
| | | 11,246 | 36' 11" |
| | | 11,252 | |
| 17° 1' 11" | 35,900 | 11,267 | |
| | | 11,272 | 37' |
| | | 11,277 | |
| 18° 0' 0" | 36,000 | 11,299 | |
| 18° 0' 1/16" | 36,004 | 11,300 | 37' 7/16" |
| | | 11,302 | 37' 1" |
| 18° 0' 1" | | 11,325 | |
| | | 11,328 | 37' 2" |
| | 36,100 | 11,330 | |
| 18° 0' 2" | | 11,351 | |
| | | 11,353 | 37' 3" |

| Dansk | | Meter | Engelsk |
|-------------------|------------|--------|--------------|
| Alen, fod, tommer | Fod (dec.) | m | Feet, inches |
| 18° 0' 3" | 36,200 | 11,361 | |
| | | 11,377 | |
| | | 11,379 | 37' 4" |
| | 36,300 | 11,393 | |
| 18° 0' 3 7/8" | 36,323 | 11,400 | 37' 4 3/16" |
| 18° 0' 4" | | 11,403 | |
| | | 11,404 | 37' 5" |
| | 36,400 | 11,424 | |
| 18° 0' 5" | | 11,429 | 37' 6" |
| | | 11,455 | 37' 7" |
| 18° 0' 6" | 36,500 | 11,456 | |
| | | 11,480 | 37' 8" |
| 18° 0' 7" | | 11,482 | |
| | 36,600 | 11,487 | |
| 18° 0' 7 1/16" | 36,641 | 11,500 | 37' 8 3/16" |
| | | 11,506 | 37' 9" |
| 18° 0' 8" | 36,700 | 11,518 | |
| | | 11,531 | 37' 10" |
| 18° 0' 9" | | 11,534 | |

| Dansk | | Meter | Engelsk |
|-------------------|------------|--------|--------------|
| Alen, fod, tommer | Fod (dec.) | m | Feet, inches |
| 18° 0' 10" | 36,800 | 11,550 | |
| | | 11,556 | 37' 11" |
| | | 11,560 | |
| | 36,900 | 11,581 | |
| | | 11,582 | 38' |
| 18° 0' 11" | | 11,586 | |
| 18° 0' 11 1/2" | 36,960 | 11,600 | 38' 1/16" |
| | | 11,607 | 38' 1" |
| 18° 1' 0" | 37,000 | 11,613 | |
| | | 11,633 | 38' 2" |
| 18° 1' 1" | | 11,639 | |
| | 37,100 | 11,644 | |
| | | 11,658 | 38' 3" |
| 18° 1' 2" | | 11,665 | |
| | 37,200 | 11,675 | |
| | | 11,684 | 38' 4" |
| 18° 1' 3" | | 11,691 | |
| 18° 1' 3 9/16" | 37,279 | 11,700 | 38' 4 5/8" |
| | 37,300 | 11,707 | |
| | | 11,709 | 38' 5" |
| 18° 1' 4" | | 11,717 | |

Hældnings-omsætning

Grad – brøk – decimalbrøk – promille

| Vinkel | Stigning (fald) | | |
|--------|-----------------|-------------|------|
| | I på n | Decimalbrøk | % |
| | I: cot. | tg. | |
| 0°00' | 1: ∞ | 0,0000 | 0,0 |
| 0°10' | 1: 343,8 | 0,0029 | 2,9 |
| 0°12' | 1: 300 | 0,0033 | 3,3 |
| 0°15' | 1: 250 | 0,0040 | 4,0 |
| 0°19' | 1: 200 | 0,0050 | 5,0 |
| 0°20' | 1: 171,9 | 0,0058 | 5,8 |
| 0°23' | 1: 150 | 0,0067 | 6,7 |
| 0°30' | 1: 114,6 | 0,0087 | 8,7 |
| 0°34' | 1: 100 | 0,010 | 10,0 |
| 0°40' | 1: 85,9 | 0,0116 | 11,6 |
| 0°47' | 1: 75 | 0,0133 | 13,3 |
| 0°50' | 1: 68,7 | 0,0145 | 14,5 |
| 0°52' | 1: 66,67 | 0,0150 | 15,0 |
| 1°00' | 1: 57,29 | 0,0175 | 17,5 |
| 1°09' | 1: 50 | 0,020 | 20,0 |
| 1°10' | 1: 49,10 | 0,0204 | 20,4 |
| 1°20' | 1: 42,96 | 0,0233 | 23,3 |
| 1°26' | 1: 40 | 0,025 | 25,0 |
| 1°30' | 1: 38,18 | 0,0262 | 26,2 |
| 1°40' | 1: 34,36 | 0,0291 | 29,1 |
| 1°43' | 1: 33,33 | 0,030 | 30,0 |
| 1°50' | 1: 31,24 | 0,0320 | 32,0 |
| 1°54' | 1: 30 | 0,0334 | 33,4 |
| 2° | 1: 28,63 | 0,0349 | 34,9 |
| 2°17' | 1: 25 | 0,040 | 40,0 |

| Vinkel | Stigning (fald) | | |
|--------|-----------------|-------------|-------|
| | I på n | Decimalbrøk | % |
| | I: cot. | tg. | |
| 2°22' | 1: 20 | 0,050 | 50,0 |
| 3° | 1: 19,08 | 0,0524 | 52,4 |
| 3°49' | 1: 15 | 0,0667 | 66,7 |
| 4° | 1: 14,30 | 0,0699 | 69,9 |
| 4°16' | 1: 13,39 | 0,075 | 75,0 |
| 5° | 1: 11,43 | 0,0875 | 87,5 |
| 5°72' | 1: 10 | 0,100 | 100,0 |
| 6° | 1: 9,514 | 0,1051 | 105,1 |
| 6°22' | 1: 9 | 0,1114 | 111,4 |
| 7° | 1: 8,144 | 0,1228 | 122,8 |
| 7°10' | 1: 8 | 0,125 | 125,0 |
| 8° | 1: 7,115 | 0,1405 | 140,5 |
| 8°08' | 1: 7 | 0,1431 | 143,1 |
| 8°32' | 1: 6,667 | 0,150 | 150,0 |
| 9° | 1: 6,318 | 0,1584 | 158,4 |
| 9°27' | 1: 6 | 0,1670 | 167,0 |
| 10° | 1: 5,671 | 0,1763 | 176,3 |
| 11°19' | 1: 5 | 0,200 | 200,0 |
| 14°02' | 1: 4 | 0,2500 | 250,0 |
| 15° | 1: 3,732 | 0,2679 | 267,9 |
| 16°41' | 1: 3,333 | 0,300 | 300,0 |
| 18°25' | 1: 3 | 0,3333 | 333,3 |
| 20° | 1: 2,747 | 0,3640 | 364,0 |
| 21°48' | 1: 2,5 | 0,400 | 400,0 |
| 25° | 1: 2,1445 | 0,4663 | 466,3 |

| Vinkel | Stigning (fald) | | |
|--------|-----------------|-------------|---------|
| | I på n | Decimalbrøk | % |
| | I: cot. | tg. | |
| 26°34' | 1: 2 | 0,500 | 500,0 |
| 30° | 1: 1,732 | 0,5775 | 577,5 |
| 30°58' | 1: 1,6667 | 0,600 | 600,0 |
| 33°41' | 1: 1,5 | 0,6667 | 666,7 |
| 34°59' | 1: 1,4270 | 0,700 | 700,0 |
| 35° | 1: 1,4281 | 0,7002 | 700,2 |
| 38°50' | 1: 1,2500 | 0,800 | 800,0 |
| 40° | 1: 1,1918 | 0,8391 | 839,1 |
| 41°59' | 1: 1,111 | 0,900 | 900,0 |
| 45° | 1: 1 | 1,000 | 1000 |
| 50° | 1: 0,8390 | 1,1918 | 1191,8 |
| 55° | 1: 0,7002 | 1,4281 | 1428,1 |
| 56°19' | 1: 0,6667 | 1,500 | 1500 |
| 60° | 1: 0,5775 | 1,7321 | 1732,1 |
| 63°56' | 1: 0,5 | 2,000 | 2000 |
| 65° | 1: 0,4663 | 2,1445 | 2144,5 |
| 70° | 1: 0,3640 | 2,7475 | 2747,5 |
| 71°65' | 1: 0,3333 | 3,000 | 3000 |
| 75° | 1: 0,2679 | 3,7321 | 3732,1 |
| 75°56' | 1: 0,2500 | 4,000 | 4000 |
| 78°41' | 1: 0,2 | 5,000 | 5000 |
| 80° | 1: 0,1763 | 5,6713 | 5671,3 |
| 84°17' | 1: 0,1 | 10,000 | 10000 |
| 85° | 1: 0,0875 | 11,4301 | 11430,1 |
| 90° | 1: 0,0 | ∞ | ∞ |

Græsk Alfabet

| | | | | | | | |
|-----|---------|-----|--------|-----|---------|-------|---------|
| A α | alpha | H η | eta | N ν | ny | Τ τ | tau |
| B β | beta | Θ θ | theta | Ξ ξ | xi | Υ υ | ypsilon |
| Γ γ | gamma | Ι ι | iota | Ο ο | omikron | Φ φ ϕ | phi |
| Δ δ | delta | Κ κ | kappa | Ρ ρ | rho | Χ χ | chi |
| E ε | epsilon | Λ λ | lambda | Σ σ | sigma | Ψ ψ | psi |
| Z ζ | zelta | Μ μ | my | | | Ω ω | omega |